



Produktkatalog

*Komponenten
für die Kältetechnik*

Ausgabe 2021/22



Tecumseh




FMI
FAN MOTORS ITALIA




LONGLIFE-PUMPEN - HOCHWERTIGSTE MATERIALIEN & EXTREM ROBUST


GT41



GT64




Technical drawing of the RABBIT 2000 motor. The drawing shows the motor from a front-three-quarter view. Dimensions are indicated with arrows and numbers: 96 (width), 107 (height), A (total height), B (height of the lower section), and C (width of the base). A callout box with a yellow background and black border contains the text: **Hochwertige Materialien**.



GT80/GT120

Pumpen für Bierbegleitzühlung
mit integriertem Betriebs-
kondensator Kugellager für
8 und 12m Förderhöhe einphasig
mit Klasse F-Wicklung


Schutzart: IP44
Kabellänge: 110cm




DATEN UND PREISE

Typ	Förderhöhe	Leistungs- aufnahme	Stromaufnahme	Abmessungen in mm			Netto-Preise + MwSt. in € / Stück		
				A	B	C	einzeln	ab 10 Stück	ab 20 Stück
	m	W	A						
GT41	4,9	75	0,30	--	--	--			
GT64	6,4	75	0,30	--	--	--			
GT80	8,0	50	0,27	160	65	90			
GT120	12,0	80	0,34	175	45	90			

RÜHRWERKSMOTOREN




M2E068-CF06-48



GT-R

Spule mit Silikonharzumwicklung
völlig abgedichtet



DATEN UND PREISE

Typ	Leistung W	Netto-Preise +MwSt. in € / Stück		
		einzel	ab 10 Stück	ab 20 Stück
GT-R	20			
M2E068-CF06-48*	70			

* inkl. mitgeliefertem Betriebskondensator

Glems-Technik
WOLFGANG SCHERER

Glems-Technik GmbH
Gustav-Siegle-Straße 8
D - 71254 Ditzingen

Fon: +49 7156-9631-0

Fax: +49 7156-9631-22

www.glems-technik.de
kontakt@glems-technik.de

QR - CODE scannen und
Kontaktdaten speichern

(scan QR-CODE, save
contact information)

